OAK RIDGE OPERATIONS OAK RIDGE ORNL SITE OFFICE

TRANSMITTAL OF INFORMATION

The enclosed is to fulfill a request made by Chem Risk, as part of the *Oak Ridge Health Studies agreement* efforts. These documents have received the necessary reviews and may be released to the Chem Risk.

TIO Release Approval:	David & Hamin
Information enclosed:	OrnI waste entering poplar creek.
Requested by:	ChemRisk
Requested from:	Joe Weaver
Approved:	Timothy W. Jeseph Program/Manager DOE ORNL Site Office
Date:	December 13, 1995

cc w/o enc: J. L. Weaver, 101MID, MS-6481

cived Y.12 TIO 11/28 Chem Risk Request DRN4/ChR-951129/2

DOCUMENT CLEARANCE FORM

This form must be completed by each division submitting to Laboratory Records either (1) reproducibles for reproduction and distribution or (2) three copies of the document if a paper, journal, article, oral presentation, etc. Failure to supply requested information will result in delays: FOR HELP IN COMPLETING THIS FORM, CONTACT LABORATORY RECORDS, (4-6753). 1. PERSON PREPARING FORM PHONE NO. DATE SUBMITTED RETURN REPRODUCIBLES TO: Name and Address 2. DIVISION AND CODE 3. PROGRAM 4. ACCOUNT OR WORK ORDER NO. 5. REPORT NOS. 6. CLASSIFICATION 7. TITLE Entering Poplar Creek (5/31/60 8. AUTHOR(S) (LIST ALL AUTHORS AND DIVISION CODES; IF NOT AN ORNL EMPLOYEE, INDICATE INSTITUTIONAL ADDRESS.) 8A. COLLABORATIVE INSTITUTIONAL AUTHOR AFFILIATION INDUSTRIAL EDUCATIONAL FOREIGN GOVERNMENT 9. SPONSOR (DOE, NRC, EPA, etc.) 10. BUDGET AND REPORTING CODE 11. FWP NO. 12. FIN NO. 13. INTERAGENCY AGREEMENT NO. 14. CLEARANCE FOR: (SELECT ALL APPROPRIATE CATEGORIES) INTERNAL EXTERNAL TOPICAL ORNL PROGRESS **ADMINISTRATIVE** REPORT PRELIMINARY "NOTICE" TO APPEAR ON TITLE PAGE FINAL (REPRODUCE WITHOUT "NOTICE") EXTENDED FULL TEXT **OUTLINE OR** ABSTRACT/SUMMARY POSTER ABSTRACT **VIEWGRAPHS PRESENTATION** AUDIENCE: INTERNAL EXTERNAL INVITED: YES ☐ NO REFEREED: ☐ NO MEETING TITLE AND LOCATION DATE ORAL PUBLISHED ABOVE PRESENTATION WILL BE PUBLISHED AS: **FULL TEXT** ABSTRACT ONLY NOT PUBLISHED LIST PUBLISHER IF KNOWN JOURNAL SUBMITTED TO: INVITED REFEREED **JOURNAL** YES NO YES I NO **PUBLICATION** TO BE PUBLISHED AS: FULL ARTICLE ABSTRACT ONLY PUBLISHER **BOOK** EDITOR AUTHOR TITLE OF BOOK **BOOK CHAPTER** EDITOR PUBLISHER UNIVERSITY (NAME, CITY, STATE) **THESIS** DEGREE TO BE ISSUED REPORT NO. AS A REPORT: YES NO NON ORNL REPORT **BOOK REVIEW ENCYCLOPEDIA ARTICLE** NEWSLETTER OTHER TESTIMONY CAPE PACKAGE VIDEOSCRIPT **MISCELLANEOUS** 15. WAS A USER FACILITY UTILIZED IN THE IF YES, WHICH FACILITY? (SEE INSTRUCTIONS FOR LIST.) RESEARCH REPORTED IN THIS PUBLICATION? YES NO 16. IS THE INFORMATION IN THIS DOCUMENT SUITABLE FOR TECHNOLOGY TRANSFER? YES NO

UCN-10369 (3C 2-91)

17. CONDITIONS FOR EXTERNAL DISTRIBUTION OF REPORTS						
Unlimited Access Applied Technology Official Use Only. (Sensitive Foreign Trip Reports Only) CRADA, Cooperative Research Agreement Contains Proprietary Information.		Contains Unclassified Controlled Nuclear Information (UCNI). Contains Export Control/TAR/EAR. Contains Small Business Innovation Research (SBIR). Contains Translations of copyrighted material. Other (Explain in the remarks section below)				
18. REPORT CATE	GORY DISTRIBUT	ION (MUST BE	DETERMINED B	Y AUTHOR)	· · · · · · · · · · · · · · · · · · ·	
Category Distribution UCNRC Copies for category distribution furnished by ORNL (full size); by OSTI (microfiche.) I have reviewed and revised (as necessary) the distribution list for this document. (Required) 19. PREVIOUSLY CLEARED, RELATED DOCUMENT (Paper, abstract, progress report, etc., containing similar information indicate if classified.)						
20. INVENTIONS (List page no. of any item appearing to have significa	int noveity; indicate it n	ione.)				
20A. DOES DOCUMENTATION CONTAIN COPYRIGHTED INFORMATION	YES		TTACH PERMISSION	FOR USE)		
		PROVED BY TURES (AS REQ	HIDED)		DATE	
AUTHOR OR REQUESTER	- Oldivii	OTTES (ASTREAM	O. I.L.D.		DALL	
SUPERVISOR		-				
PROGRAM DIRECTOR OR MANAGER						
DIVISION DIRECTOR			•			
ASSOCIATE LABORATORY DIRECTOR						
	· · ·	REMARKS			l	
Y-12 Technical Information: Un/mite	d (Chem Riss	k) O. K	· mcke	may	12/5/95	
Y-12 Technical Information: Unlimiter Y-12 Classification: Unclase	sified	725	raser	11/29/95		
NOTE: For work supported by NRC Funds, enter the N and phone number of the ORNL contact in the			d phone number	and the ORi	NL Branch/Unit cont	act's name
DAMIN JAMM 12/5/95	NICAL PUBLICATION	S DEPT.	DATE	REPRODUC	CTION DEPT.	DATE
/ 22. CLASSIFICATION CHECK (FOR CLASSIFICATION OFFICER'S USE)						
DOCUMENT PROPERLY CLASSIFIED AS: CLASSIFIED AS: CONFIDENTIAL CONFIDENTIAL CONFIDENTIAL	RD	FRD	DOCUMENT	—	O CLASSIFIED INFORM IED TECHNOLOGY	ATION
CLASSIFICATION OFFICER/DERIVATIVE CLASSIFIER'S SIGNATURE DATE 12/15/95						
23. PATENT CHECK (FOR ORNL PATENT SECTION'S USE						
DOCUMENT MAY BE RELEASED TO OSTI AND NTIS PREPRINT AUTHORIZED? YES NO						
PATENT SECTION Waived par DR H 24. CHECK LIST (FOR LABORATORY RECORDS DEPARTMENT'S USE) DATE 12/15/95						
REPRODUCIBLES FOR INTERNAL DOCUMENTS ONLY REPRODUCIBLES OF ORNL GENERATED DOCUMENTS MUST BE CHECKED FOR:						
☐ FOR INTERNAL USE ONLY ☐ DISTRIBUTION LIMITED TO RECIPIENTS INDICATED ☐ SPECIAL DISTRIBUTION ☐ CAUTION NOTICE ☐ COPIES FOR CRLY-12 TECHNICAL LIBRARY ☐ COPIES FOR LRD (INCLUDING RC) ☐ COPY FOR PATENT SECTION ☐ YES ☐ NO ☐ YES ☐ NO ☐ YES ☐ NO ☐ YES ☐ NO						

UCN-10369 BACK

INTER-COMPANY CORRESPONDENCE

UNION CARBIDE NUCLEAR COMPANY

A Division of Union Carbide and Carbon Corporation

To:

R. A. Walker

Plant: Oak Ridge National Laboratory

Date: May 31, 1960

Copies To:

M. E. Ramsey

Subject: ORNL Wastes Entering Poplar

File

Copy Fwd. by MER, 6-2-60 Creek

AFRupp - JHGillette - "We are going to be forced to stop

discharges such as those listed to Poplar Creek. We should start correcting this

The following is a summary of the estimated wastes contributed by ORNL to Poplar Creek:

Buildings 9204-3* and 9731 (Stable Isotopes)

Waste Material	Form	Quantity/Month	Disposal Method
u - 238	Sol'n(<lppm)< td=""><td>∼5gm U</td><td>≥50gal./batch</td></lppm)<>	∼5gm U	≥50gal./batch
Nitric Acid	2-3% HNO3	1350 gal.	<pre><50gal./batch</pre>
Sodium Hydroxide	1.0%	8 00 g al.	<50gal./batch
Ammonium Bifluoride	0.05%	1200 gal.	$\leq 50 \text{gal./batch}$
Soluble Salts	5% HNO3 Sol'n	6100 gal.	≥50gal./batch
Soluble Salts	3% NH4OH Sol'n	100 gal.	≥50gal./batch

*These quantities have been adjusted to include expected values that will result from operation of 16 calutrons in Track 5, about September 1, 1960.

Building 9733-1 (Chemistry)

Waste Material	Form	Quantity/Month	Disposal Method
H ₂ SO ₄	8 0% Sol'n	1500 gal.	continuous** continuous**
HNO ₃	70% Sol'n	60 gal.	

**Effluent from column operation for separation of N isotopes fed continuously and evenly to the creek 24 hrs/day and 7 days/week.

Buildings 9733-2,-3,-4

Only analytical laboratory (test-tube) quantities of non-toxic chemicals, including acids and bases, enter the creek from these buildings.

Building 9201-2 (Thermonuclear and Electronuclear Divisions)

Only unpolluted cooling water from various machines and test tube quantities of various non-toxic chemicals from a small analytical lab enter the stream from this building.

Building 9201-3 (Reactor Projects Division)

Only unpolluted cooling water from various operating rigs enters the creek from this building. This group also operates the Be Cleaning Facility in 9419-1. The waste from Be cleaning is held in a large concrete tank and evaporation takes care of disposal. (The tank has overflowed to the creek once, and sampling showed less than lppm Be in the tank overflow line.)

Building 9204-1 (Reactor Experimental Engineering Division)

Only very small quantities (laboratory, i.e. test tube amounts) of H2SO4 and HNO3 are released to the creek from this building. Loops containing thorium and natural uranium are operated here, and the cooling water is released to the creek. (Ruptures and spills from these loops are cleaned up by mopping, etc.; material is not flushed to the creek.)

Buildings 9207 and 9210 (Biology Division)

Wastes from chemical and biological laboratories in these buildings are discharged to the creek. These wastes include small amounts of acids, bases, and non-toxic chemicals. Survey of the wastes from these buildings is not complete; findings will be forwarded on completion of the survey.

Please let me know if any further information is desired.

Signed E. M. King

EMK: jl

INTER-COMPANY CORRESPONDENCE

UNION CARBIDE NUCLEAR COMPANY

Division of Union Carbide Corporation

To:

Copies To:

Those Listed

Plant:

Y-12

Date:

May 2, 1960

Subject:

Poplar Cree

V/1611101

Recent investigations of the effluent of Poplar Creek from the Y-12 Area have pointed up an acute pollution problem. A program must be initiated to reduce the contamination of this stream. The Chemical Operations Division has been assigned by the Y-12 Plant Superintendent to coordinate the clean up of Poplar Creek. In order to work most efficiently all people concerned should be briefed as completely as possible.

The pH of Poplar Creek is continuously monitored at the east end of the Y-12 Plant. A composite sample of the creek at this point is automatically collected and analyzed. The composite sample has a pH of 6-8 but the continuous monitor shows many sharp fluctuations below 4 each day. These sudden fluctuations result from batch disposal of wastes to the creek and must be eliminated where possible.

In the past any reduction in the amount of contamination in Poplar Creek has been a result of economic and radiation considerations rather than a pollution control program. Although these efforts have been successful to a considerable extent a major pollution problem still exists. It is felt that the majority of people responsible for the contaminating of Poplar Creek are unaware of the pollution problem. The major contaminants are: H_2SO_4 , HNO_3 , HCl, Al, Li, Hg, F, carbon dust, coal dust, and various organic chemicals.

It is requested that each division make a detailed study of its current waste disposal practices. The study should include the following:

- 1. Types and amounts of contaminants.
- 2. Method of disposal batch or continuous.
- 3. Where disposed creek, burial pit, waste pond at west end of Y-12, etc.

Please investigate any possible methods for your reducing the contamination level of Poplar Creek such as neutralization, filteration, settling, change of disposal location, etc.

It might be possible for minor changes to be made in certain operations that would result in less contaminants being discharged to the creek.

If you will advise us of your findings, we will look into the advisability of scheduling disposal and any other means of controlling the contamination which might appear feasible. We would appreciate any suggestions you might have.

Rallales)

ND: RAW: bfg

Distribution:

J. M. Case

J. W. Ebert

E. C. Ellis

G. W. Flack

W. E. Heckert

R. F. Hibbs

E. M. King (5)

J. P. Murray

D. H. Rader

G. A. Strasser

R. A. Walker (Y-12RC)

W. K. Whitson, Jr.

INTER-COMPANY CORRESPONDENCE

UNION CARBIDE NUCLEAR COMPANY

Division of Union Carbide Corporation

To:

Mr. J. P. Murray

Building 9704-2

Plant:

Y-12

Date:

Waste Digo July 21, 1960

Copies To:

Those Listed

Subject: Poplar Creek

A study of current waste disposal practices in the Y-12 Plant has been made. Table I lists the estimated amounts of contaminants which are discharged daily into the east fork of Poplar Creek based on information supplied by the various groups in Y-12. The following major recommendations are proposed to improve the pollution problem of Poplar Creek.

- Install a new 3-inch SS line from Area 5 to the S-3 pond area located in the west end of the Y-12 Plant. This line is to handle all acid type wastes from Area 5. Estimated cost - \$96,000.
- 2. Install a nuclear safe raffinate and condensate collection system at Building 9206. Pump these solutions to the new 3-inch line (in proposal 1) for disposal in the S-3 pond. Estimated cost - \$25,000.
- 3. Utilize the existing SS line from Area 5 to the S-3 pond for the disposal of caustic wastes from Area 5 that are presently discharged into Poplar Creek. The old line would also serve as a spare for the new acid line mentioned in proposal 1.
- 4. Pump the caustic solution from the Beta-2 chlorine scrubbers to the existing SS disposal line from Area 5 to the S-3 pond. Estimated cost - \$5,000.
- 5. Construct a concrete settling basin (approximately 25 feet x 40 feet x 5 feet) south of the electroplating shop, Building 9401-2, to collect all wastes from the plating shop except the nickel and cyanide strip solutions. Pipe the caustic scrubber solution from the nitrogen plant and the sulfuric acid regeneration solutions from the steam plant acid softners (without the large quantity of rinse water) to this basin. The effluent from the basin is to be pumped to the new SS line from Area 5 to the S-3 pond. Estimated cost - \$21,000.
- 6. Pump the sodium chloride regneration solutions from the sodium softners at the steam plant over the hill through the existing cast iron pipe presently used for sluicing ash wastes from the steam plant. Estimated cost - 0.
- 7. Install tanks at Building 9202 for collection and interim storage of the ammonia filtrates and acid solutions. Truck these solutions to the S-3 pond. Estimated cost - \$5,000.

In addition to these major proposals, several minor proposals are being made to each of the groups individually.

By initiating the seven major proposals the contamination discharged into Poplar Creek will be reduced from approximately 15,200 pounds/day to approximately 1,416 pounds/day (See Table I).

At the present time approximately 5,000 gallons/day of solutions are being pumped to the S-3 pond area. The major proposals on the preceding page will increase this to approximately 20,500 gallons/day and it is probable that the S-3 pond area will have to be enlarged. Two additional ponds can be constructed for an estimated cost of \$25,000.

A summation of the estimated costs are given below.

New 3-inch SS line - Area 5 to S-3 Pond New line from 9206 to Area 5 new line	\$ 96,000 25,000
New line from 9204-2 to Area 5 existing line Concrete retention pond at plating shop	5,000
and connection to S-3 Pond Collection tanks at 9202	21,000 5,000
Sub Total	\$152,000
S-3 Pond enlargement	25,000
Total.	\$177,000

At the present time there are no specific regulations by the state of Tennessee, Anderson County, or Oak Ridge concerning water quality. The state of Tennessee has only very general requirements. Based on information as supplied by the various groups in Y-12 and in conjunction with information contained in "Water Quality Criteria" published by the State Water Pollution Control Board, Sacramento, California, 1952 and 1954 editions, it is believed that, if the seven major proposals as listed are completed, the additional two ponds are constructed at the S-3 area, and the Y-12 groups follow the program diligently, Poplar Creek will meet all reasonably expected regulations in regard to pollution and contamination that the state of Tennessee, Anderson County, or the city of Oak Ridge may adopt.

R. A. Walker

RAW: ND: bfg

Distribution: W. F. Cameron, w/Attach.

J. M. Case, w/Attach.

Neal Dow, w/Attach.

J. W. Ebert

E. C. Ellis

G. W. Flack

W. E. Heckert

R. F. Hibbs

E. M. King, (5) w/Attach.

D. H. Rader, w/Attach.

J. S. Reece, w/Attach.

G. A. Strasser

R. A. Walker, (Y-12RC) w/Attach.

W. K. Whitson, Jr.

R. D. Williams, w/Attach.

TABLE I

ESTÎMATED CONTAMINANTS DISCHARGED DAILY INTO POPLAR CREEK

	•	
Chemical	Present Pounds per Day	Remaining Pounds per Day
нио3	762	150
NaOH	1,362	175
HCl	210	0
H ₂ SO ₄	Approx. 1,590	Approx. 390
NaCl	Approx. 7,500	0
NaOCl	2,200	0
LiOH·H ₂ O	271	271
Hg	6	6
Misc.	1,304	424
TOTAL	15,205	1,416

l Assuming major proposals 1-7 are completed.

E. M. King

All disposals should be made on as near a continuous basis as possible. It is suggested that you investigate some other method of disposal for the 80% $\rm H_2SO_4$ and the 70% HNO3 solutions from Building 9733-1 (i.e., collecting and trucking to S-3 pond, burial, reuse, neutralization).